

# Author index

- Abell A: see Bonde et al, suppl 1 p 12  
 Abell A: see Thonneau et al, suppl 1 p 62  
 Ahasan R: see Partanen et al, p 296  
 Ahrens W: see Kreuzer et al, p 422  
 Aitio A: Biomarkers and their use in occupational medicine, p 521  
 Albers JW: see Homan et al, p 115  
 Alexandrie A-K: see Carstensen et al, p 351  
 Alfredsson L: see Torgén et al, p 246  
 Alfredsson L: see Peter et al, p 376  
 Alfredsson L: see Köster et al, p 410  
 Almaguer D: see Sanderson et al, p 227  
 Andersen A, et al: Work-related cancer in the Nordic countries, suppl 2  
 Andersen A: see Rønneberg et al, p 207  
 Andersen A: see Boffetta et al, p 222  
 Andersen BH: see Gregersen et al, p 291  
 Andrews DM: see Neumann et al, p 404  
 Apostoli P, et al: Critical aspects of male fertility in the assessment of exposure to lead, suppl 1 p 40  
 Apostoli P: see Bonde et al, suppl 1 p 49  
 Apostoli P: see Joffe et al, suppl 1 p 64  
 Aragón A: see Partanen et al, p 296  
 Armstrong BG: see Deadman et al, p 368  
 Armstrong TJ: see Homan et al, p 115  
 Arnetz BB: Model development and research vision for the future of multiple chemical sensitivity, p 569  
 Aronsson G: Influence of worklife on public health, p 597  
 Arroyave ME: see Partanen et al, p 296  
 Asclepios: see Giwercman et al, suppl 1 p 23  
 Asclepios: see Lähdetie et al, suppl 1 p 26  
 Asclepios: see Bonde et al, suppl 1 p 49  
 Asclepios: see Thonneau et al, suppl 1 p 62  
 Asclepios: see Joffe et al, suppl 1 p 64  
 Asclepios: see Kolstad et al, suppl 1 p 66  
 Asclepios: see Kolstad et al, suppl 1 p 70  
 Asclepios: see Larsen et al, suppl 1 p 74  
 Axmon A: see Carstensen et al, p 351  
 Baird DD: Characteristics of fertile menstrual cycles, suppl 1 p 20  
 Baker P, et al: Lymphatic and hematopoietic cancer in teachers (review), p 5  
 Balogh I, et al: Interindividual variation of physical load in a work task, p 57  
 Balonov MI, et al: Environmental radioactivity, population exposure and related health risks in the east Baltic region, suppl 3 p 17  
 Barlow L: see Andersen et al, suppl 2  
 Barone NJ: see Gamble et al, p 186  
 Bencko V: see Skerfving et al, suppl 3 p 40  
 Benford DJ, et al: Dermal route in systemic exposure, p 511  
 Bergendahl C: see Järholm et al, p 131  
 Bertazzi PA: Future prevention and handling of environmental accidents, p 580  
 Bettinghausen E: see Reuter et al, p 67  
 Bisanti L: see Apostoli et al, suppl 1 p 40  
 Bisanti L: see Bonde et al, suppl 1 p 49  
 Bisanti L: see Joffe et al, suppl 1 p 64  
 Bisanti L: see Kolstad et al, suppl 1 p 66  
 Bisio S: see Franco & Bisio, p 153  
 Blair A, et al: Occupational cancer epidemiology in the coming decades, p 491  
 Blair A: see Stewart et al, p 33  
 Boe J: see Lund et al, p 326  
 Bøggild H & Knutsson A: Shift work, risk factors and cardiovascular disease (review), p 85  
 Boffetta P, et al: Cancer incidence among European man-made vitreous fiber production workers, p 222  
 Bonde JP: Environmental fertility research at the turn of the century, p 529  
 Bonde JPE, et al: Environmental semen studies — is infertility increased by a decline in sperm count?, suppl 1 p 12  
 Bonde JPE, et al: Objectives, designs and populations of the European Asclepios study on occupational hazards to male reproductive capability, suppl 1 p 49  
 Bonde JPE: see Giwercman et al, suppl 1 p 23  
 Bonde JPE: see Spanò et al, suppl 1 p 28  
 Bonde JPE: see Thonneau et al, suppl 1 p 62  
 Bonde JPE: see Joffe et al, suppl 1 p 64  
 Bonde JPE: see Kolstad et al, suppl 1 p 66  
 Bonde JPE: see Kolstad et al, suppl 1 p 70  
 Bonde JPE: see Larsen et al, suppl 1 p 74  
 Bongers PM: see Hoogendoorn et al, p 387  
 Boraschi P, et al: Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases, p 18  
 Bouter LM: see Hoogendoorn et al, p 387  
 Bovenzi M, et al: Magnitude of acute exposures to vibration and finger circulation, p 278  
 Braccini G: see Boraschi et al, p 18  
 Brasure J: see Petralia et al, p 215  
 Breum NO: see Ivens et al, p 238  
 Brisman J: see Torén et al, p 430  
 Brisson C, et al: Effects of an ergonomic training program on workers with video display units, p 255  
 Bromberg MB: see Homan et al, p 115  
 Bröske-Hohlfeld I: see Kreuzer et al, p 422  
 Burdorf A & van der Beek A: Exposure assessment strategies for work-related risk factors for musculoskeletal disorders, suppl 4 p 25  
 Burdorf A & van der Beek AJ: In musculoskeletal epidemiology are we asking the unanswerable in questionnaires on physical load? (editorial), p 81  
 Carstensen U, et al: Genotoxic exposures of potroom workers, p 24  
 Carstensen U, et al: Influence of genetic polymorphisms of biotransformation enzymes on gene mutations, strand breaks of deoxyribonucleic acid, and micronuclei in mononuclear blood cells and urinary 8-hydroxydeoxyguanosine in potroom workers exposed to polyaromatic hydrocarbons, p 351  
 Clavert A: see Thonneau et al, suppl 1 p 62  
 Cocker J: see Benford et al, p 511  
 Coggon DM: see Baker et al, p 5  
 Cordelli E: see Spanò et al, suppl 1 p 28  
 Dahl JE, et al: Dental workplace exposure and effect on fertility, p 285  
 Dale A: see Joffe et al, suppl 1 p 64  
 Danscher G: see Bonde et al, suppl 1 p 49  
 Deadman J-E, et al: Exposures of children in Canada to 60-Hz magnetic and electric fields, p 368  
 Donceel P & Du Bois M: Predictors for work incapacity continuing after disc surgery, p 264  
 Dosemeci M: see Petralia et al, p 215  
 Du Bois M: see Donceel & Du Bois, p 264  
 Ducot B: see Thonneau et al, suppl 1 p 62  
 Ebbenhøj N: see Ivens et al, p 238  
 Eisen EA: Methodology for analyzing episodic events, suppl 4 p 36  
 Ellingsen DG: see Mathiesen et al, p 342  
 Engeland A: see Andersen et al, suppl 2  
 Erwall C: see Wållinder et al, p 137  
 Faeseke KP: see Reuter et al, p 67

- Fears T: see Stewart et al, p 33
- Figa-Talamanca I: see Hatch et al, p 144
- Firth JG: see Benford et al, p 511
- Florack EIM: see Zielhuis et al, suppl 1 p 47
- Franco G & Bisio S: Total quality strategy in the formative process of the occupational physician (commentary), p 153
- Frank J: see Neumann et al, p 404
- Franzblau A: see Homan et al, p 115
- Freudenheim JL: see Petralia et al, p 215
- Fuglerud P: see Ulvestad et al, p 335
- Gallagher R: see Deadman et al, p 368
- Gálová E: see Mráz et al, p 233
- Gamble JF, et al: Exposure-response of asphalt fumes with changes in pulmonary function and symptoms, p 186
- Gefeller O: see Uter et al, p 450
- Gemne G: book review of *Hand-arm vibration: a comprehensive guide for occupational health professionals*, p 301
- Gerhardsson L: see Skerfving et al, suppl 3 p 40
- Gigoni R: see Boraschi et al, 18
- Giwerzman A, et al: Quality assurance of semen analysis in multicenter studies, suppl 1 p 23
- Giwerzman A: see Spanó et al, suppl 1 p 28
- Giwerzman A: see Petersen et al, suppl 1 p 31
- Giwerzman A: see Bonde et al, suppl 1 p 49
- Giwerzman A: see Kolstad et al, suppl 1 p 70
- Giwerzman A: see Larsen et al, suppl 1 p 74
- Glüer C-C: see Reuter et al, p 67
- Goldberg MS: see Petralia et al, p 215
- Goldberg MS: see Zhong et al, p 309
- Graham S: see Petralia et al, p 215
- Greenland S: Multilevel modeling and model averaging, suppl 4 p 43
- Gregersen P, et al: Pontiac fever at a sewage treatment plant in the food industry (case report), p 291
- Griffin MJ: see Bovenzi et al, p 278
- Griffiths A: Organizational interventions: facing the limits of the natural science paradigm, p 589
- Grunnet K: see Gregersen et al, p 291
- Härkönen K: see Lähde et al, suppl 1 p 26
- Härmä M & Ilmarinen JE: Towards the 24-hour society — new approaches for aging shift workers?, p 610
- Hagberg S: see Torén et al, p 430
- Hagmar L: see Carstensen et al, p 24
- Hagmar L: see Carstensen et al, p 351
- Hagmar L: see Tuomisto & Hagmar, suppl 3 p 65
- Haldorsen T: see Rønneberg et al, p 207
- Hanley JA: see Zhong et al, p 309
- Hansen J: see Boffetta et al, p 222
- Hansson G-Å: see Balogh et al, p 57
- Harvima RJ, et al: Repeated hand urticaria due to contact with fishfood (case report), p 151
- Hatch MC, et al: Work stress and menstrual patterns among American and Italian nurses, p 144
- Haugen A: Progress and potential of genetic susceptibility to environmental toxicants, p 537
- Hauschildt P, et al: Reactions of healthy persons and persons suffering from allergic rhinitis when exposed to office dust, p 442
- Heliovaara M: Work load and back pain (editorial), p 385
- Heller M: see Reuter et al, p 67
- Hemminki K & Veidebaum T: Environmental pollution and human exposure to polycyclic aromatic hydrocarbons in the east Baltic region, suppl 3 p 33
- Hemminki K: see Carstensen et al, p 24
- Henriksen TB: General psychosocial and work-related stress and reduced fertility, suppl 1 p 38
- Hensten-Petersen A: see Dahl et al, p 285
- Hermansson B-A: see Torén et al, p 430
- Hernberg S: Towards a new millennium (editorial), p 465
- Higashiguchi K: see Morikawa et al, p 100
- Hillerdal G: First China-Japan joint asbestos symposium, Beijing, 16—17 July 1999 (meeting report), p 458
- Hilt B: book review of *Pocket consultant: occupational health*, p 383
- Hirvonen A: see Vainio et al, p 157
- Hjollund H (reporter): Concluding panel on direction for future research on male reproductive capability, suppl 1 p 76
- Hjollund NHI: see Bonde et al, suppl 1 p 12
- Hjortsberg U: Association between exposure to potassium aluminum tetrafluoride and bronchial hyperactivity and asthma (letter to the editor), p 457
- Hoar Zahm S: see Blair et al, p 491
- Högestedt B: see Järholm et al, p 131
- Högestedt B: see Carstensen et al, p 351
- Högestedt C: see Partanen et al, p 296
- Hollmann S, et al: Validation of a questionnaire for assessing physical work load, p 105
- Homan MM, et al: Agreement between symptom surveys, physical examination procedures and electrodiagnostic findings for the carpal tunnel syndrome, p 115
- Hoogendoorn WE, et al: Physical load during work and leisure time as risk factors for back pain (review), p 387
- Hou S-M: see Carstensen et al, p 351
- Husman T: see Harvima et al, p 151
- Ilmarinen JE: see Härmä & Ilmarinen, p 610
- Inskip H: see Baker et al, p 5
- Ishizaki M: see Morikawa et al, p 100
- Ivens UI, et al: Exposure-response relationship between gastrointestinal problems among waste collectors and bioaerosol exposure, p 238
- Jacobsen N: see Dahl et al, p 285
- Järholm B, et al: Exposure to polycyclic aromatic hydrocarbons and genotoxic effects on nonsmoking Swedish road pavement workers, p 131
- Järholm B: see Torén et al, p 430
- Jedrychowski W: Ambient air pollution and respiratory health in the east Baltic region, suppl 3 p 5
- Jeyaratnam J: see Partanen et al, p 296
- Jöckel K-H: see Kreuzer et al, p 422
- Joffe M: Methods for obtaining valid data on time to pregnancy among men and women, suppl 1 p 8
- Joffe M, et al: Time to pregnancy and occupational lead exposure, suppl 1 p 64
- Joffe M: see Bonde et al, suppl 1 p 49
- Joffe M: see Kolstad et al, suppl 1 p 66
- Johansson M: see Partanen & Johansson, p 159
- Kaae D: see Kolstad et al, suppl 1 p 70
- Kalimo R: Knowledge jobs — how to manage without burnout?, p 605
- Kauppinen T & Toikkanen J: Health and hazard surveillance — needs and perspectives, suppl 4 p 61
- Keiding N: Analysis of time-to-pregnancy data, suppl 1 p 10
- Kerr MS: see Neumann et al, p 404
- Kesner JS, et al: Measuring endocrine profiles of women in field studies, suppl 1 p 17
- Khuder SA: Etiologic clues to lip cancer from epidemiologic studies on farmers, p 125
- Khuder SA, et al: Meta-analysis of Hodgkin's disease among farmers, p 436
- Kido T: see Morikawa et al, p 100
- Kilbom Å: Possibilities for regulatory actions in the prevention of musculoskeletal disorders, suppl 4 p 5
- Kilbom Å: see Köster et al, p 410
- Kilbom Å: see Torgén et al, p 246
- Kildesø J, et al: Visual analogue scales for detecting changes in symptoms of the sick building syndrome in an intervention study, p 361
- Kirk LH III: see Sanderson et al, p 227

- Kiss P: see Joffe et al, suppl 1 p 64
- Kjærgaard SK: see Hauschildt et al, p 442
- Kjærheim K: see Andersen et al, suppl 2
- Kjuus H: see Mathiesen et al, p 342
- Klimmer F: see Hollmann et al, p 105
- Knecht EA: see Kesner et al, suppl 1 p 17
- Knutsson A: see Bøggild & Knutsson, p 85
- Knutsson A: see Peter et al, p 376
- Koes BW: see Hoogendoorn et al, p 387
- Köster M, et al: Retrospective versus original information on physical and psychosocial exposure at work, p 410
- Kolstad H: see Spanò et al, suppl 1 p 28
- Kolstad HA, et al: Time to pregnancy for men occupationally exposed to styrene in several European reinforced plastics companies, suppl 1 p 66
- Kolstad HA, et al: Sperm chromatin structure and semen quality following occupational styrene exposure, suppl 1 p 70
- Kolstad HA: see Bonde et al, suppl 1 p 12
- Kolstad HA: see Bonde et al, suppl 1 p 49
- Kongerud J: see Lund et al, p 326
- Kreienbrock L: see Kreuzer et al, p 422
- Kreuzer M, et al: Occupational risk factors for lung cancer among young men, p 422
- Krieg EF Jr: see Kesner et al, suppl 1 p 17
- Kristensen P: Parental exposure, adverse pregnancy and offspring effects — perspectives in developmental epidemiology, p 541
- Kristensen TS: Challenges for research and prevention in relation to work and cardiovascular diseases, p 550
- Kriszyk EM: see Balonov et al, suppl 3 p 17
- Kross B: see Stewart et al, p 33
- Kurppa K: see Partanen et al, p 296
- Kyllian H: see Hollmann et al, p 105
- Lähdetie J, et al: Analysis of chromosome aneuploidy in sperm by fluorescence in situ hybridization — a new approach to the study of male fertility in environmental exposures, suppl 1 p 26
- Lähdetie J: see Giwercman et al, suppl 1 p 23
- Lambert B: see Carstensen et al, p 351
- Larsen SB, et al: Seminal characteristics following exposure to pesticides among agricultural workers, suppl 1 p 74
- Larsen SB: see Bonde et al, suppl 1 p 12
- Larsen SB: see Lähdetie et al, suppl 1 p 26
- Larsen SB: see Spanò et al, suppl 1 p 28
- Larsen SB: see Thonneau et al, suppl 1 p 62
- Larsson B-M: see Sjögren et al, p 39
- Larsson K: see Sjögren et al, p 39
- Larsson PH: see Sjögren et al, p 39
- Leino-Arjas P: see Liira & Leino-Arjas, p 42
- Leoncini B: see Boraschi et al, 18
- Leter G: see Spanò et al, suppl 1 p 28
- Levin J-O: see Carstensen et al, p 24
- Levin J-O: see Järholm et al, p 131
- Levine RJ: Seasonal variation of semen quality and fertility, suppl 1 p 34
- Liira J & Leino-Arjas P: Predictors and consequences of unemployment in construction and forest work during a 5-year follow-up, p 42
- Lillienberg L: see Torén et al, p 430
- Lindbohm M-L: Effects of occupational solvent exposure on fertility, suppl 1 p 44
- Lindbohm M-L: see Joffe et al, suppl 1 p 64
- Lindsell CJ: see Bovenzi et al, p 278
- Loewenson R: see Partanen et al, p 296
- Lund K, et al: Increased CD3 positive cells in bronchoalveolar lavage fluid after hydrogen fluoride inhalation, p 326
- Lundberg I: see Partanen et al, p 296
- Lynge E: see Andersen et al, suppl 2
- Madsen H: see Gregersen et al, p 291
- Marmot M: Importance of the psychosocial environment in epidemiologic studies, suppl 4 p 49
- Mathiesen T, et al: Neuropsychological effects associated with exposure to mercury vapor among former chloralkali workers, p 342
- Mbakaya CFL: see Partanen et al, p 296
- McBride ML: see Deadman et al, p 368
- Melbostad E: see Ulvestad et al, p 335
- Mergler D: Combining quantitative and qualitative approaches in occupational health for a better understanding of the impact of work-related disorders, suppl 4 p 54
- Michalek A: see Petralia et al, p 215
- Michélsen H: see Köster et al, p 410
- Miettinen OS: Etiologic research: needed revisions of concepts and principles, p 484
- Miura K: see Morikawa et al, p 100
- Mølhave L: see Hauschildt et al, p 442
- Moen BE: see Oftedal et al, p 415
- Molin Christensen J: book review of *Analyses of hazardous substances in biological materials*, volume 6, p 460
- Montreuil S: see Brisson et al, p 255
- Morikawa Y, et al: Relationship between shift work and onset of hypertension in a cohort of manual workers, p 100
- Mráz J, et al: Effect of ethanol on the urinary excretion of cyclohexanol and cyclohexanediols, biomarkers of the exposure to cyclohexanone, cyclohexane and cyclohexanol in humans, p 233
- Multigner L: see Thonneau et al, suppl 1 p 62
- Murata K, et al: Impact of shift work on cardiovascular functions in a 10-year follow-up study, p 272
- Mutgi AB: see Khuder et al, p 436
- Nakagawa H: see Morikawa et al, p 100
- Naruse Y: see Morikawa et al, p 100
- Neri S: see Boraschi et al, 18
- Neumann WP, et al: Comparison of four peak spinal loading exposure measurement methods and their association with low-back pain, p 404
- Ngowi AVF: see Partanen et al, p 296
- Nicolich MJ: see Gamble et al, p 186
- Nielsen BH: see Ivens et al, p 238
- Nilsson T: see Carstensen et al, p 24
- Nishijo M: see Morikawa et al, p 100
- Nogawa K: see Morikawa et al, p 100
- Nohová H: see Mráz et al, p 233
- Norbäck D: see Wållinder et al, p 137
- Nordström G: see Järholm et al, p 131
- Norman RW: see Neumann et al, p 404
- Norppa H: see Vainio et al, p 157
- Nyvang A: see Oftedal et al, p 415
- Östman C: see Carstensen et al, p 24
- Östman C: see Järholm et al, p 131
- Oftedal G, et al: Long-term effects on symptoms by reducing electric fields from visual display units, p 415
- Ogilvie L: see Stewart et al, p 33
- Ohlsson K: see Balogh et al, p 57
- Olsen J: Design options and sources of bias in time-to-pregnancy studies, suppl 1 p 5
- Olsen JH: see Boffetta et al, p 222
- Pakkenberg B: see Petersen et al, suppl 1 p 31
- Parent M-É: see Zhong et al, p 309
- Partanen T: Do medical epidemiologists and statisticians really communicate? (editorial), p 305
- Partanen T & Johansson M: Which way epidemiology (meeting report), p 159
- Partanen TJ, et al: Collaboration between developing and developed countries and between developing countries in occupational health research and surveillance (commentary), p 296
- Peelen SJM: see Zielhuis et al, suppl 1 p 47
- Perri G: see Boraschi et al, 18

- Pershagen G, editor: Environmental health effects in the east Baltic region — assessment and prevention, suppl 3
- Peter R, et al: Does a stressful psychosocial work environment mediate the effects of shift work on cardiovascular risk factors?, p 376
- Petersen PM, et al: Stereological methods as efficient and unbiased tools to quantitate structures in the testis, suppl 1 p 31
- Petralia SA, et al: Risk of premenopausal breast cancer in association with occupational exposure to polycyclic aromatic hydrocarbons and benzene, p 215
- Pfahlberg A: see Uter et al, p 450
- Plato N: see Boffetta et al, p 222
- Pohlabein H: see Kreuzer et al, p 422
- Porru S: see Apostoli et al, suppl 1 p 40
- Poulsen OM: see Ivens et al, p 238
- Pukkala E: see Andersen et al, suppl 2
- Punnett L: see Brisson et al, p 255
- Ramel C: see Balonov et al, suppl 3 p 17
- Rannug A: see Carstensen et al, p 351
- Rantanen J: Research challenges arising from changes in worklife, p 473
- Refsnes M: see Lund et al, p 326
- Reuter M, et al: Functional and high-resolution computed tomographic studies of divers' lungs, p 67
- Riihimäki H: Musculoskeletal diseases—a continuing challenge for epidemiologic research, suppl 4 p 31
- Riihimäki H: see Viikari-Juntura & Riihimäki, p 564
- Roeleveld N: see Zielhuis et al, suppl 1 p 47
- Roeleveld N: see Bonde et al, suppl 1 p 49
- Roeleveld N: see Joffe et al, suppl 1 p 64
- Roeleveld N: see Kolstad et al, suppl 1 p 66
- Roeleveld N: see Kolstad et al, suppl 1 p 70
- Rønneberg A, et al: Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway, p 207
- Romundstad P: see Rønneberg et al, p 207
- Rosenberg C: see Vainio et al, p 157
- Rothman N: see Blair et al, p 491
- Saari J: book review of *Occupational injury: risk prevention and intervention*, p 382
- Sagara T: see Morikawa et al, p 100
- Salerno S: see Hatch et al, p 144
- Sallé HJA: see van der Weide et al, p 50
- Sallmen M: see Joffe et al, suppl 1 p 64
- Sanderson WT, et al: Ozone-induced respiratory illness during the repair of a portland cement kiln, p 227
- Sandström T: see Lund et al, p 326
- Saracci R: see Boffetta et al, p 222
- Sartorelli P: see Benford et al, p 511
- Schaub EA: see Khuder et al, p 436
- Schmidt K-H: see Hollmann et al, p 105
- Schneider T, et al: Challenges for indoor environment research in the new office, p 574
- Schneider T: see Kildesø et al, p 361
- Schneider T: see Benford et al, p 511
- Schütz A: see Skerfving et al, suppl 3 p 40
- Schwanitz HJ: see Uter et al, p 450
- Schwarze P: see Lund et al, p 326
- Shah N: see Joffe et al, suppl 1 p 64
- Shannon HS: see Neumann et al, p 404
- Shinozaki T: see Murata et al, p 272
- Siegrist J: see Peter et al, p 376
- Silverstein B: see Viikari-Juntura & Silverstein, p 163
- Sjögren B, et al: Increase in interleukin-6 and fibrinogen in peripheral blood after swine dust inhalation, p 39
- Skerfving S, et al: Environmental health in the Baltic region — toxic metals, suppl 3 p 40
- Skerfving S: see Balogh et al, p 57
- Skov P: see Schneider et al, p 574
- Skov T: see Kildesø et al, p 361
- Smedje G: see Wälinder et al, p 137
- Snook SH: Future directions of psychophysical studies, suppl 4 p 13
- Søstrand P: see Lund et al, p 326
- Spanò M, et al: Flow cytometric sperm chromatin structure assay as an independent descriptor of human semen quality, suppl 1 p 28
- Spano M: see Giwercman et al, suppl 1 p 23
- Spano M: see Kolstad et al, suppl 1 p 70
- Spanò M: see Larsen et al, suppl 1 p 74
- Stayner L: see Partanen et al, p 296
- Steenland K: see Partanen et al, p 296
- Steffens J-C: see Reuter et al, p 67
- Stewart P: Challenges to retrospective exposure assessment, p 505
- Stewart PA, et al: Exposure of farmers to phosmet, a swine insecticide, p 33
- Stockholm MUSIC 1 Study Group: see Torgén et al, p 246
- Strömberg U: see Balogh et al, p 57
- Sundby J: see Dahl et al, p 285
- Tabata M: see Morikawa et al, p 100
- Tagesson C: see Carstensen et al, p 351
- Tano BDK: see Khuder et al, p 436
- Teppo L: see Boffetta et al, p 222
- Tetzlaff K: see Reuter et al, p 67
- Theorell T: How to deal with stress in organizations? — a health perspective on theory and practice, p 616
- Thériault G: see Deadman et al, p 368
- Thonneau P, et al: Time to pregnancy and paternal exposure to pesticides in preliminary results of Danish and French studies, suppl 1 p 62
- Thonneau P: see Bonde et al, suppl 1 p 49
- Tichý M: see Mráz et al, p 233
- Toikkanen J: see Kauppinen & Toikkanen, suppl 4, 61
- Torén K: Challenges for the new century in the epidemiology of adult asthma, p 558
- Torén K, et al: Adult-onset asthma and occupational exposures, p 430
- Torgén M, et al: Evaluation of questionnaire-based information on previous physical work loads, p 246
- Trent LS: see Wong & Trent, p 317
- Tuomisto J & Hagmar L: Environmental health in the east Baltic region — pesticides and persistent organic compounds, suppl 3 p 65
- Tuomisto L: see Harvima et al, p 151
- Uldum SA: see Gregersen et al, p 291
- Ulvestad B, et al: Asthma in tunnel workers exposed to synthetic resins, p 335
- Uter W, et al: Risk of hand dermatitis among hairdressers versus office workers, p 450
- Vahter M: see Skerfving et al, suppl 3 p 40
- Vainio H: Biomarkers in the identification of risks, especially with regard to susceptible persons and subgroups (editorial), p 1
- Vainio H: book review of *Genes, cancer, and ethics in the work environment*, p 75
- Vainio H: Fruits, vegetables and pesticides — do we know what we are eating? (editorial), p 161
- Vainio H: Promise of molecular epidemiology — epidemiologic reasoning, biological rationale and risk assessment, p 498
- Vainio H, et al: International workshop on biomarkers for isocyanates (meeting report), p 157
- Valbjørn O: see Schneider et al, p 574
- van der Beek A: see Burdorf & van der Beek, suppl 4 p 25
- van der Beek AJ: see Burdorf & van der Beek, p 81
- van der Weide WE, et al: Prognostic factors for chronic disability from acute low-back pain in occupational health care, p 50
- van Dijk FJH: see van der Weide et al, p 50
- van Hemmen J: see Benford et al, p 511

- van Poppel MNM: see Hoogendoorn et al, p 387
- Vanhoorne M: see Bonde et al, suppl 1 p 49
- Veidebaum T: see Hemminki & Veidebaum, suppl 3 p 33
- Vena JE: see Petralia et al, p 215
- Venge P: see Wålinder et al, p 137
- Verbeek JHAM: see van der Weide et al, p 50
- Viikari-Juntura E & Riihimäki H: New avenues in research on musculoskeletal disorders, p 564
- Viikari-Juntura E & Silverstein B: Role of physical load factors in carpal tunnel syndrome (review), p 163
- Vincent WJ: see Gamble et al, p 186
- Vingård E: see Köster et al, p 410
- Vitková D: see Mráz et al, p 233
- Wålinder R, et al: Nasal patency and lavage biomarkers in relation to settled dust and cleaning routines in schools, p 137
- Wahlström J: see Järholm et al, p 131
- Wang Z: see Sjögren et al, p 39
- Warholm M: see Carstensen et al, p 351
- Weiderpass E: see Partanen et al, p 296
- Wells RP: see Neumann et al, p 404
- Wennberg A: book review of *Occupational and environmental neurotoxicology*, p 76
- Wergeland E: book review of *Women's health at work*, p 459
- Werner RA: see Homan et al, p 115
- Wesseling C: see Partanen et al, p 296
- Westerholm P: Challenges facing occupational health services in the 21st century, p 625
- Westerholm P: see Sjögren et al, p 39
- Westerholm P: see Boffetta et al, p 222
- Westerholm P: see Peter et al, p 376
- Westgaard RH: Effects of physical and mental stressors on muscle pain, suppl 4 p 19
- Wichmann HE: see Kreuzer et al, p 422
- Wieslander G: see Wålinder et al, p 137
- Winkel J: see Torgén et al, p 246
- Wong O & Trent LS: Mortality from nonmalignant diseases of the respiratory, genitourinary and nervous systems among workers exposed to styrene in the reinforced plastics and composites industry in the United States, p 317
- Würtz H: see Ivens et al, p 238
- Wyon D: see Kildesø et al, p 361
- Yang K: see Carstensen et al, p 24
- Yano E: see Murata et al, p 272
- Yoshita K: see Morikawa et al, p 100
- Zhong L, et al: Risk of developing lung cancer in relation to exposure to fumes from Chinese-style cooking (review), p 309
- Zielhuis G, et al: Hospital work and fecundability, suppl 1 p 47
- Zschesche W: see Kolstad et al, suppl 1 p 70
- Zylicz T: Environmental policy in economies in transition, suppl 3 p 72



# Key terms

- 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane, suppl 3 p 65
- 1-hydroxypyrene, 24
- 5-year follow-up, 42
- 10-year follow-up study, 272
- 24-hour society, 610
- 60-Hz magnetic fields, 368
- abortion, suppl 1 p 38
- acceleration magnitude, 278
- accident prevention, 580
- acoustic rhinometry, 137
- acute effects, 186
- acute exposure, 278
- acute low-back pain, 50
- acute vibration, 278
- adult asthma, 558
- adult-onset asthma, 430
- adverse pregnancy, 541
- age, 255
- aging, 610
- agricultural workers, suppl 1 p 74
- airborne polycyclic aromatic hydrocarbons, 24
- albumin, 137
- allergens, 137
- allergic rhinitis, 442
- allergy skin prick, 151
- aluminum reduction plant, 24, 351
- aluminum smelter, 207
- ambient air pollution, suppl 3 p 5
- American nurses, 144
- analysis, suppl 1 p 10
- anesthesia, suppl 1 p 47
- aneuploidy, suppl 1 p 26
- antineoplastic drugs, suppl 1 p 47
- arsenic, suppl 3 p 40
- asbestos, 18, 633
- asbestos exposure, 422
- asbestos symposium, 458
- asbestosis, 633
- ascertainment of disease, suppl 4 p 31
- asphalt, 131
- asphalt fumes, 186
- assessment, 105, suppl 3
- assessment of outcome, 564
- association, 457
- asthma, 335, 430, 457
- atherogenic lipids, 376
- atopy, 450
- attributable risk, 498
- back pain, 385, 387
- Baltic region, suppl 3 p 40
- ban, 633
- Bayesian statistics, suppl 4 p 43
- bending, 387
- benign, 18
- benzene, 215
- benzene-soluble fraction, 186
- bias-epidemiology, suppl 1 p 38
- bioaerosol exposure, 238
- biological clock, suppl 1 p 34
- biological mechanisms, 85
- biological monitoring, 24, 233, 511
- biological rationale, 498
- biomarkers, 1, 85, 157, 233, 498, 521
- biomarkers of genotoxic effect, 351
- biomechanical load, 404
- biomechanics, 163
- biomonitoring, 521
- biotransformation enzymes, 351
- birth defects, 541
- births, suppl 1 p 34
- birthweight, 541
- bitumen, 131
- bladder cancer, 207, suppl 2
- blood pressure, 100, 272
- brain cancer, 207
- breast cancer, 215, suppl 2
- breathing zone, 131
- bronchial hyperactivity, 457
- bronchoalveolar lavage, 326
- bronchoalveolar lavage fluid, 326
- burnout, 605
- cadmium, suppl 3 p 40
- Canada, 368
- cancer, suppl 2
- cancer incidence, 5, 207, 222, suppl 2
- cancer of nasal sinuses, suppl 2
- cancer of the nose, suppl 2
- cancer of the pleura, suppl 2
- cancer risks, suppl 3 p 33
- carbon dioxide, 442
- carbon disulfide, suppl 1 p 44
- cardiovascular functions, 272
- cardiovascular disease, 85, 616
- cardiovascular disease epidemiology, 85
- cardiovascular diseases, 550
- cardiovascular effect, 272
- cardiovascular risk factors, 376
- carpal compression test, 115
- carpal tunnel syndrome, 115, 163
- case report, 151, 291
- case-control study, 484
- case-crossover studies, suppl 4 p 36
- case-referent studies, suppl 1 p 38
- case-referent study, 422
- CD3 positive cells, 326
- ceased exposure, 342
- census data, suppl 2
- chemical exposures, suppl 4 p 36
- chemical hazards, 521
- Chernobyl accident, suppl 3 p 17
- childhood cancer, 368
- children, 368
- China, 458
- Chinese-style cooking, 309
- chromatin condensation, suppl 1 p 28
- chromosome aneuploidy, suppl 1 p 26
- chromosomes, suppl 1 p 26
- chronic disability, 50
- circadian rhythm, 610
- circadian rhythms, 85
- circulatory effects, 278
- cleaning, 137, 361
- cleaning routines, 137
- clerical work, 255
- cohort, 491
- cohort study, 207, 317, 484
- collaboration, 296
- colon cancer, suppl 2
- Comité Européen de Normalisation, suppl 4 p 5
- commentary, 153, 296
- communication, 305
- comparison, 404
- competency, 153
- computed tomography, 67
- conception, suppl 1 p 20
- concepts, 484
- concluding panel, suppl 1 p 76
- condensates of heated oils, 309
- confounding, 484
- consequence, 42
- construction work, 42
- contact, 151
- contamination, 151
- contingent work, 597
- control, 597, suppl 4 p 49
- cooperation, 296
- coping, 264
- correlated outcomes, suppl 4 p 36
- cost-effectiveness, suppl 3 p 72
- countermeasures, 610
- critical aspects, suppl 1 p 40
- cross-sectional sampling, suppl 1 p 10
- cumulative mercury exposure, 342
- cumulative trauma, suppl 4 p 13
- cyclohexane, 233
- cyclohexanediols, 233
- cyclohexanol, 233
- cyclohexanone, 233
- cytochrome P-4501A1, 351
- decision latitude, 616
- decline, suppl 1 p 12
- Denmark, suppl 1 p 62
- dental amalgam, 285
- dental workplace exposure, 285
- dentistry, 285
- deoxyribonucleic acid, 351
- deoxyribonucleic acid adducts, suppl 3 p 33
- depression, 264
- dermal route, 511
- design options, suppl 1 p 5
- designs, suppl 1 p 49
- detection, 361
- developed countries, 296
- developing countries, 296
- developmental epidemiology, 541
- differential misclassification, 246
- differentials, 597
- digital vasoconstriction, 278
- dioxins, suppl 3 p 65
- directives, suppl 4 p 5
- disability, 264
- disaster preparedness, 580
- disc surgery, 264
- discomfort survey, 115
- discrete-time survival analysis, suppl 1

- p 10
- disinfectants, 285
  - divers' lungs, 67
  - diving, 67
  - DNA adducts, suppl 3 p 33
  - dose evaluation, suppl 1 p 40
  - dose-response, 207
  - dust, 137
  - early life, suppl 4 p 49
  - east Baltic region, suppl 3, suppl 3 p 5, 17, 33, 65
  - economic activity, suppl 2
  - economies in transition, suppl 3 p 72
  - editorial, 1, 81, 161, 305, 385, 465
  - education, 5
  - effect, 233
  - effects, suppl 1 p 44, suppl 3 p 40
  - electric fields, 368, 415
  - electric sensitivity, 569
  - electrical discharge, 207
  - electrician, 207
  - electrodiagnostic findings, 115
  - electromagnetic fields, 207
  - electromyographic normalization, 57
  - electromyography, 57, suppl 4 p 19
  - electrostatic precipitator, 227
  - emergency response, 580
  - empirical-Bayes estimation, suppl 4 p 43
  - employment, 42
  - empowerment, 296
  - endocrine profiles, suppl 1 p 17
  - endotoxin, 39, 137
  - endotoxin measurement, 291
  - environment, 309, 529, suppl 2
  - environmental accidents, 580
  - environmental contamination, suppl 3 p 33
  - environmental dosimetry, suppl 3 p 17
  - environmental exposure, 541
  - environmental exposures, suppl 1 p 26
  - environmental fertility research, 529
  - environmental health, 580, suppl 3 p 40, 65
  - environmental health effects, suppl 3
  - environmental hyperreactivity, 569
  - environmental illness, 569
  - environmental policy, suppl 3 p 72
  - environmental pollution, suppl 3 p 33, 72
  - environmental radioactivity, suppl 3 p 17
  - environmental semen studies, suppl 1 p 12
  - environmental toxicants, 537
  - eosinophil cationic protein, 137
  - epidemiologic, 430
  - epidemiologic methods, 550
  - epidemiologic reasoning, 498
  - epidemiologic research, suppl 4 p 31
  - epidemiologic studies, suppl 4 p 49
  - epidemiology, 125, 131, 159, 163, 222, 317, 404, 410, 450 505, 558, suppl 1 p 5, 28, 47, 70, suppl 4, suppl 4 p 25, 36, 61
  - episodic events, suppl 4 p 36
  - epithelial cell defects, 442
  - ergonomic training program, 255
  - ergonomics, suppl 4 p 5
  - estrogen, suppl 1 p 20
  - estrogen receptor, 215
  - estrogens, suppl 1 p 17
  - ethanol, 233
  - ethylene glucol ethers, suppl 1 p 44
  - etiologic research, 484
  - etiologic study, 484
  - etiology, 125
  - European, 222
  - European Asclepius study, suppl 1 p 49
  - European reinforced plastics companies, suppl 1 p 66
  - evaluation, 246, 589, 616
  - evidence-based health practice, 625
  - exacerbation, 558
  - experimental studies, 163
  - exposure, 33, 131, 233, 309, 317, 335, 342, 351, 368, 404, 442, 457, suppl 3 p 40, suppl 4 p 61
  - exposure assessment, 31, 33, 186, 246, 498, 521, 564, suppl 1 p 40
  - exposure assessment strategies, suppl 4 p 25
  - exposure assessments, 410
  - exposure determinants, 33
  - exposure estimation, 207, 368
  - exposure measurement, 404
  - exposure modeling, suppl 4 p 25
  - exposure-response, 186
  - exposure-response relationship, 238
  - exposure-response models, suppl 4 p 36
  - external pressure, 163
  - extrapolation, suppl 3 p 33
  - extremely low frequency, 368
  - eye irritation, 227, 442
  - eye redness, 442
  - eye symptoms, 415
  - families, suppl 4 p 54
  - farmers, 33, 125, 436
  - fecundability, 285, suppl 1 p 20, 38, 47
  - fecundity, 529, suppl 1 p 5, 49, 66
  - fertile menstrual cycles, suppl 1 p 20
  - fertility, 285, 529, suppl 1 p 8, 12, 34, 44, 49, 64, 66
  - fetal death, 541
  - fetal growth, 541
  - fibrinogen, 39
  - field studies, suppl 1 p 17, 23
  - finger blood flow, 278
  - finger circulation, 278
  - finger skin temperature, 278
  - fishfood, 151
  - flexibility, 597
  - flow cytometric sperm chromatin structure assay, suppl 1 p 28
  - flow cytometry, suppl 1 p 28
  - fluorescence, suppl 1 p 23
  - fluorescence in situ hybridization, suppl 1 p 26
  - fluorides, 326
  - follicle-stimulating hormone, suppl 1 p 17
  - follow-up studies, suppl 1 p 38
  - follow-up study, 100
  - food consumption, 161
  - food industry, 291
  - force, 163
  - forest work, 42
  - formative process, 153
  - former chloralkali workers, 342
  - frailty, suppl 1 p 10
  - France, suppl 1 p 62
  - fruits, 161
  - fumes from Chinese-style cooking, 309
  - functional anatomy, 163
  - functional disability, 50
  - fungicides, suppl 1 p 26
  - future, suppl 4 p 13
  - future research, suppl 1 p 76
  - future worklife, 471
  - gastrointestinal problems, 238
  - gene mutations, 351
  - gene-environment interaction, 537
  - gene-environment interactions, 498
  - gene-exposure interactions, 491
  - general psychosocial stress, suppl 1 p 38
  - genetic epidemiology, 564
  - genetic polymorphisms, 351
  - genetic susceptibility, 537
  - genitourinary system, 317
  - genotoxic effects, 131
  - genotoxic exposure, 24
  - genotoxicity, 309, suppl 1 p 70
  - germ cell genotoxicity, suppl 1 p 49
  - gestational age, 541
  - glass wool, 222
  - globalization, suppl 4 p 54
  - glutathione transferases, 351
  - goniometer, 57
  - hairdressers, 450
  - hand dermatitis, 450
  - hand diagrams, 115
  - hazard surveillance, suppl 4 p 61
  - health care workers, 50
  - health impact, suppl 3 p 5
  - health perspective, 616
  - health risks, suppl 3 p 17
  - health surveillance, 521, suppl 4 p 61
  - healthy persons, 442
  - heart rate-adjusted QT interval, 272
  - heat stress irritation, 186
  - heat, 207
  - heated cooking oils, 309
  - hematopoietic cancer, 5
  - hematopoietic tissue, 207
  - hierarchical regression, suppl 4 p 43
  - high-resolution, 67
  - histamine, 151
  - Hodgkin's disease, 5, 436
  - hormones, suppl 1 p 20
  - hospital work, suppl 1 p 47
  - human, 529, suppl 1 p 34
  - human exposure, suppl 3 p 33
  - human exposures, 442
  - human semen quality, suppl 1 p 28
  - human spermatozoa, suppl 1 p 28
  - humans, 233
  - hydrogen fluoride, 326
  - hydrogen fluoride inhalation, 326
  - hypertension, 100, 376
  - impact, 296, suppl 4 p 54
  - improvement, 153
  - in situ hybridization, suppl 1 p 23
  - incidence, 100, 558, suppl 2
  - incident cancer cases, suppl 2
  - independent descriptor, suppl 1 p 28
  - individual control, 574
  - individual reaction, 574

- indoor air, 361
- indoor air pollution, 137, 309
- indoor environment research, 574
- inductively coupled plasma mass spectrometry, suppl 1 p 40
- industrial accident, 580
- industrial worker, 100
- industry, 317, suppl 2
- infection, 125
- infections, 436
- infertility, suppl 1 p 12, 47, 62
- inflammation, 326
- influence, 351
- information society, 471, 605
- infraspinatus muscle, 57
- infrastructure, 296
- insecticides, suppl 3 p 65
- interindividual variation, 57
- interleukin-6, 39
- international comparisons, suppl 3 p 5
- International Organization for Standardization, suppl 4 p 5
- international workshop, 157
- intervention, 361, 616
- intervention study, 255, 361
- ischemic heart disease, 550
- isocyanates, 157, 335
- Italian nurses, 144
- Japan, 458
- job demands, 605
- job satisfaction, 42
- job strain, 616
- job-exposure matrix, 238
- kappa coefficient, 115
- keynote presentations, suppl 4
- kiln maintenance, 227
- knowledge jobs, 605
- labor-market changes, 597
- lavage biomarkers, 137
- lead, suppl 1 p 40, suppl 3 p 40
- legionellosis, 291
- leisure time, 387
- letter to the Editor, 457
- leukemia, 5
- Leydig cells, 464, suppl 1 p 31
- life-style, 42, 529
- lifting, 387, suppl 4 p 13
- light, suppl 1 p 34
- lip cancer, 125, suppl 2
- liver cancer, suppl 2
- logistic regression analysis, 450
- long-term effects, 415
- longitudinal studies, suppl 4 p 36
- low back, 410, 564
- low-back pain, 105, 387, 404, suppl 4 p 13
- low-frequency electric fields, 415
- lumbar discectomy, 264
- lumbar spine, 105
- lung cancer, 207, 309, 422, suppl 2, suppl 3 p 17
- lung function, 67, 186
- lung neoplasms, 309
- luteinizing hormone, suppl 1 p 17, 20
- lymphatic cancer, 5
- lymphatic tissue, 207
- lymphocytes, 24, 131
- lymphoma, 5
- lysozyme, 137
- magnetic fields, 368
- magnetic resonance, 18
- magnetic resonance imaging, 18
- maintenance, 207
- male fertility, suppl 1 p 26, 40
- male infertility, suppl 1 p 62
- male reproductive capability, suppl 1 p 49, 76
- male reproduction, suppl 1 p 12, 64
- malignant, 18
- malignant melanoma of the skin, suppl 2
- malignant neoplasms, suppl 2
- man-made vitreous fiber, 222
- manual handling, suppl 4 p 5, 13
- manual workers, 100
- matching, 484
- measurement methods, 404
- medical epidemiologists, 305
- medical survey, 335
- meeting report, 157, 458
- men, suppl 1 p 8, 66
- menstrual cycle, 144, suppl 1 p 17
- menstrual disorders, suppl 1 p 44
- menstrual patterns, 144
- mental stress, suppl 4 p 19
- mental stressors, suppl 4 p 19
- mercury, 285, suppl 3 p 40
- mercury vapor, 342
- mesothelioma, 18
- meta-analyses, 125, 436
- meta-analysis, 436
- metabolic interference, 233
- metals, suppl 1 p 40
- methacholine responsiveness, 335
- methodological quality, 387
- methodology, suppl 4 p 36
- methods, 491, suppl 1 p 8
- microchips, 537
- micronuclei, 131, 351
- microsomal epoxide hydrolase, 351
- minorities, 491
- misclassification, 410
- model averaging, suppl 4 p 43
- model development, 569
- molecular epidemiology, 498, 537
- monitoring, suppl 4 p 61
- mononuclear blood cells, 351
- morbidity, suppl 4 p 49
- mortality, 5, 317, suppl 4 p 49
- multicenter studies, suppl 1 p 23
- multilevel modeling, suppl 4 p 43
- multiple chemical sensitivity, 569
- multiple myeloma, 5
- muscle pain, suppl 4 p 19
- musculoskeletal, suppl 4 p 19
- musculoskeletal diseases, suppl 4 p 31
- musculoskeletal disorder, 616
- musculoskeletal disorders, 255, 564, suppl 4 p 5, 25
- musculoskeletal epidemiology, 81
- musculoskeletal symptoms, 42, 105
- myeloperoxidase, 137
- nasal lavage, 137
- nasal obstruction, 137
- nasal patency, 137
- natural history, 558
- natural science paradigm, 589
- neck pain, 105
- neck-shoulder, 410
- needs, suppl 4 p 61
- neoplasms, 222
- nerve conduction testing, 115
- nervous system, 317
- nervous system symptoms, 415
- nested case-control, 491
- neurobehavioral effects, 342
- neuropsychological effects, 342
- new millennium, 465
- nickel, suppl 3 p 40
- non-Hodgkin's lymphoma, 5
- nonmalignant diseases, 317
- nonparametric statistics, 186
- nonsmoking, 131
- Nordic countries, suppl 2
- Norway, 207
- nurses, 144
- objectives, suppl 1 p 49
- observational studies, 387
- occupation, 125, 131, 410, 422, 505, 529, suppl 1 p 49, suppl 2
- occupational, 246, 430, 558
- occupational cancer epidemiology, 491
- occupational disease, 291
- occupational epidemiology, 238
- occupational exposure, 207, 215, 238, 285, suppl 1 p 66, 70, 74
- occupational exposures, 430
- occupational group, suppl 2
- occupational hazards, suppl 1 p 49
- occupational health, 317, 471, 589, 610, suppl 4, suppl 4 p, 36 54
- occupational health care, 50
- occupational health physician, 153
- occupational health research, 296
- occupational health services, 625
- occupational health surveillance, 296
- occupational history, suppl 2
- occupational lead exposure, suppl 1 p 64
- occupational medicine, 521
- occupational physician, 153
- occupational risk factors, 422
- occupational skin disease, 450
- occupational solvent exposure, suppl 1 p 44
- office, 574
- office dust, 442
- office workers, 450
- offspring effects, 541
- organic compounds, 309
- organizational interventions, 589
- organizations, 616
- organochlorines, suppl 3 p 65
- outcome, 264
- outdoor air pollution, suppl 3 p 5
- overview, 387
- ozone, 227
- ozone-induced respiratory illness, 227
- <sup>32</sup>P-postlabeling, 24
- pancreatic cancer, 207
- parental exposure, 541
- parity, suppl 1 p 62
- paternal exposures, suppl 1 p 62, 66
- pathophysiological mechanisms, 278
- pathophysiology, 163
- peak spinal loading, 404



percutaneous penetration, 511  
 peripheral blood, 39  
 peripheral lymphocytes, 24, 131, 351  
 persistent organic compounds, suppl 3 p 65  
 persistent pollutants, suppl 3 p 65  
 person-years, suppl 2  
 personal airborne sampling, 24  
 perspectives, suppl 4 p 61  
 pesticide exposure, suppl 1 p 74  
 pesticides, 33, 161, 436, suppl 1 p 62, 74, suppl 3 p 65  
 Phalen's test, 115  
 philosophy of science, 589  
 phosmet, 33  
 photoperiod, suppl 1 p 34  
 physical examination, 255  
 physical examination procedures, 115  
 physical exposure, 410  
 physical load, 81, 57, 387, suppl 4 p 31  
 physical load factors, 163  
 physical stressors, suppl 4 p 19  
 physical work load, 105, suppl 1 p 47, suppl 4 p 19  
 pleura, 18  
 pleural diseases, 18  
 pleural plaques, 18  
 polarization, 597  
 policy reform, suppl 3 p 72  
 pollution, suppl 3 p 33  
 polychlorinated biphenyls, suppl 3 p 65  
 polycyclic aromatic hydrocarbons, 131, 207, 215, 351, suppl 3 p 33  
 polymorphism, 537  
 Pontiac fever, 291  
 population exposure, suppl 3 p 17, 65  
 populations, suppl 1 p 49  
 portland cement kiln, 227  
 postnatal disease, 541  
 postural load, 163  
 postures, suppl 4 p 5  
 potassium aluminum tetrafluoride, 457  
 potroom workers, 24, 351  
 practice, 616  
 predictor, 42  
 predictors, 264  
 preliminary results, suppl 1 p 62  
 preliminary study, 18  
 premenopausal breast cancer, 215  
 PREMUS-ISEOH'98, suppl 4  
 prevention, 471, 550, 580, suppl 3, suppl 4, suppl 4 p 5  
 previous physical work loads, 246  
 principles, 484  
 priorities, 296  
 process management, 153  
 production workers, 222  
 professional ethics, 625  
 progesterone, suppl 1 p 20  
 progestins, suppl 1 p 17  
 prognosis, 50  
 prognostic factors, 50  
 promotion, 471  
 prospective sampling, suppl 1 p 10  
 prospective signs, 491  
 psychological, suppl 1 p 38  
 psychological factors, 564  
 psychophysical studies, suppl 4 p 13

psychosocial environment, suppl 4 p 49  
 psychosocial exposure, 410  
 psychosocial factors, 550, 574  
 psychosocial work environment, 376  
 psychosomatic complaints, 105  
 public health, 597  
 pulmonary function, 67, 186  
 qualitative approach, suppl 4 p 54  
 qualitative research, 589  
 quality assurance, 153, suppl 1 p 23  
 quality control, suppl 1 p 23  
 quality criteria, 625  
 quality improvement, 625  
 quantitation, 464, suppl 1 p 31  
 quantitative approach, suppl 4 p 54  
 quantitative research, 589  
 questionnaire, 81, 105, 246  
 questionnaire-based information, 246  
 questionnaires, 361, 430  
 radioallergosorbent tests, 151  
 radiology, suppl 3 p 17  
 radon, suppl 3 p 17  
 random-coefficient regression, suppl 4 p 43  
 rating system, 387  
 reduced fertility, suppl 1 p 38  
 regulatory actions, suppl 4 p 5  
 reinforced composites, 317  
 reinforced plastics, 317  
 relative deprivation, suppl 4 p 49  
 repeated hand urticaria, 151  
 repeated measures, suppl 4 p 36  
 repetition, suppl 4 p 5  
 repetitive, 57  
 repetitive motion, suppl 4 p 13  
 repetitive work, 163  
 reproducibility, 246  
 reproduction, suppl 1 p 38  
 reproductive hazards, suppl 1 p 44, 66  
 reproductive health, 144  
 reproductive history, 541  
 reproductive toxicity, suppl 1 p 49  
 research, 564, 625  
 research challenges, 471, 550  
 research methods, 529  
 research vision, 569  
 respiratory health, suppl 3 p 5  
 respiratory irritation, 227  
 respiratory symptoms, suppl 3 p 5  
 respiratory system, 317  
 retrospective, 246, 410, 430  
 retrospective exposure assessment, 505  
 retrospective sampling, suppl 1 p 10  
 return to work, 50  
 review, 5, 85, 163, 309, 387, 550, suppl 4 p 25, 61  
 ridge regression, suppl 4 p 43  
 risk, 215, 309, 450  
 risk assessment, 498, 511, suppl 4 p 43  
 risk factor, 85, 163, 387  
 risk identification, 1  
 road pavement workers, 131  
 rock wool, 222  
 school environment, 137  
 schools, 137  
 season, 368, suppl 1 p 34  
 seasonal variation, suppl 1 p 34  
 secular trends, 529, suppl 1 p 12

semen, suppl 1 p 74  
 semen analysis, suppl 1 p 23  
 semen quality, suppl 1 p 12, 34, 44, 49, 70  
 seminal characteristics, suppl 1 p 74  
 seminal fluid, suppl 1 p 40  
 Sertoli cells, 464, suppl 1 p 31  
 sewage treatment plant, 291  
 sex hormones, suppl 1 p 74  
 shift schedules, 376  
 shift study, 186  
 shift work, 85, 100, 272, 376  
 shift worker, 100  
 shift workers, 610  
 shoulder and neck, suppl 4 p 19  
 SIC 3241 (portland cement manufacturing), 227  
 sick-building syndrome, 361, 574  
 single-nucleotide polymorphisms, 537  
 sister chromatid exchanges, 131  
 skin contamination, 511  
 skin symptoms, 415  
 slag wool, 222  
 sleep, 85  
 sludge, 291  
 small airway dysfunction, 67  
 smoking, suppl 1 p 62  
 social factors, 264  
 social inequalities, suppl 4 p 49  
 social support, 85, 616  
 socioethical considerations, 296  
 sociotemporal patterns, 85  
 somatic mutation, 498  
 sources of bias, suppl 1 p 5  
 sperm, suppl 1 p 26  
 sperm chromatin structure, suppl 1 p 70  
 sperm chromatin structure assay, suppl 1 p 23  
 sperm concentration, suppl 1 p 23  
 sperm count, suppl 1 p 12, 34, 70  
 sperm quality, suppl 1 p 28  
 spermatozoa, suppl 1 p 70, 74  
 sponsorship, 296  
 sports, 387  
 standardized incidence ratio, suppl 2  
 standards, suppl 4 p 5  
 Standards Measurement and Testing Framework Programme Four, 511  
 static postural load, 255  
 statisticians, 305  
 Stein estimation, suppl 4 p 43  
 stereological methods, 464, suppl 1 p 31  
 stereology, 464, suppl 1 p 31  
 strand breaks, 351  
 stress, 85, 144, 376, 550, 616, suppl 1 p 38  
 stress symptoms, 42  
 stressful psychosocial work environment, 376  
 stressors, 597  
 study design, 541, suppl 4 p 31  
 study validity, 541  
 styrene, 317, suppl 1 p 44, 66, 70  
 subfecundity, suppl 1 p 8, 64  
 sunlight, 125  
 surface contamination, 511  
 surveillance, 115  
 susceptibility markers, 498

susceptible persons, 1  
sustainability, 296  
Sweden, 131  
swine insecticide, 33  
swine dust inhalation, 39  
symptom surveys, 115  
symptoms, 186, 361  
synthetic resins, 335  
system control, 153  
systemic exposure, 511  
teachers, 5  
tear film stability, 442  
testis, 464, suppl 1 p 31, 49  
tetrachloroethylene, suppl 1 p 44  
theory, 616  
threshold, 442  
thyroid cancer, suppl 3 p 17  
time to pregnancy, 285, suppl 1 p 5, 8,  
10, 49, 62, 64, 66  
Tinel's test, 115  
tissue characterization, 18  
total particulate, 186  
total quality strategy, 153  
toxic, suppl 3 p 40  
toxic metals, suppl 3 p 40  
toxicity, 529  
trade-off, 574  
training, 296  
training objectives, 153  
training system, 153

trapezius muscle, 57  
tropics, 296  
truncation in survival analysis, suppl 1  
p 10  
tunnel workers, 335  
twisting, 387  
unemployment, 42  
unit risks, suppl 3 p 33  
United States, 317  
urinary 8-hydroxydeoxyguanosine, 351  
urinary excretion, 233  
urinary metabolites, 24  
urine, 24, 131, suppl 1 p 17  
valid data, suppl 1 p 8  
validation, 105  
validity, 246, suppl 1 p 8  
vasomotor effects, 278  
vegetables, 161  
vibration, 163, 278  
video display units, 255  
visual analogue scales, 361  
visual display units, 415  
visual properties, 415  
volatile hydrocarbons, 186  
waste, 238  
waste collectors, 238  
well-being, suppl 4 p 54  
wet work, 450  
whole-body vibration, 387  
women, 215, 491, suppl 1 p 8, 17,

suppl 4 p 54  
work, 186, 410, 550  
work conditions, suppl 1 p 47  
work design, 589  
work distribution, suppl 4 p 54  
work environment, 597, suppl 4 p 49  
work incapacity, 264  
work load, 385  
work loss, 264  
work organization, suppl 4 p 61  
work organization factors, 564  
work schedule, 85, 610  
work stress, 144  
work task, 57  
work time, 387  
work-related cancer, suppl 2  
work-related disorders, suppl 4 p 54  
work-related musculoskeletal disorders,  
suppl 4  
work-related risk factors, suppl 4 p 25  
work-related stress, suppl 1 p 38  
worker, 131  
workers, 207, 255, 317  
worklife, 471, 597  
workplace, 291  
workplace exposure, suppl 1 p 49  
workstation components, 255  
wrist, 57  
wrist movements, 57  
young men, 422  
young adults, 422

## Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 1998—31 August 1999.

Åkerstedt Torbjörn	Halperin William	Leskinen Timo	Riihimäki Vesa
Aalen Odd	Heliövaara Markku	Lie Rolv Terje	Roels Harry
Ackermann-Liebrich Ursula	Hemón Denis	Liira Juha	Rosa Roger
Ahlbom Anders	Hietanen Maila	Lindbohm Marja-Liisa	Rylander Lars
Ahlbom Gunnar	Hillbom Matti	Lindström Kari	Rytömaa Tapio
Aho Kimmo	Hillerdal Gunnar	Linnainmaa Kaija	Sallmén Markku
Albin Maria	Hilt Björn	Löf Agneta	Sandström Thomas
Almkvist Ove	Högberg Johan	Lundberg Ulf	Savolainen Kai
Armstrong Ben	Högestedt Bengt	Malmberg Per	Schneider Thomas
Armstrong Thomas	Holst Erik	Malmivaara Antti	Siegrist Johannes
Arnetz Bengt	Hughes Richard	Mann Klaus	Siemietycki Jack
Aronsson Gunnar	Husgafvel-Pursiainen Kirsti	Martikainen Pekka	Silverstein Barbara
Axelsson Olav	Husman Kaj	Mathiassen Svend-Erik	Simonato Lorenzo
Barregård Lars	Husman Tuula	Matlar Carl-Erik	Sjögaard Gisela
Bergqvist Ulf	Iregren Anders	McLaughlin Joseph	Skerfving Staffan
Bernander Sverker	Irgens Lorentz M	Mendell Mark	Starck Jukka
Bernard Bruce	Isaksson Kerstin	Moneta Giovanni	Steenland Kyle
Bertazzi Pier Alberto	Jaakkola Jouni	Müller Kiti	Stern Frank
Blair Aaron	Jäppinen Paavo	Nieuwenhuijsen Mark	Takala Esa-Pekka
Boffetta Paolo	Järholm Bengt	Nordberg Gunnar	Tammilehto Lauri
Boile M	Jensen Bente Rosa	Norseth Tor	Taskinen Helena
Bonde Jens Peter	Johansson Gunnar	Nurminen Markku	Tellnes Gunnar
Bongers Paulien	Kalimo Raija	Nuutinen Jyrki	Terho Erkki
Burdorf Alex	Kanerva Lasse	Nygård Claes-Håkan	Theorell Töres
Cavalleri Alessandro	Karjalainen Antti	Oftedal Gunnhild	Torén Kjell
Checkoway Harvey	Kauppinen Timo	Ojala Mikael	Törnling Göran
Cherrie John	Kilbom Åsa	Olenchock Stephen	Tossavainen Antti
Christensen Hanne	Kinnunen Ulla	Olsen Jörgen H	Tverdal Aage
Coggon David	Kirschbaum Clemens	Olsen Jörn	Vähäkangas Kirs
Cullinan Paul	Kjuus Helge	Olshan Andrew	Vahtera Jussi
Droz PO	Knutsson Anders	Ong Choon-Nam	Vainio Harri
Eduard Wijnand	Kogevinas Manolis	Palmer Keith	Valjus Jorma
Ekenvall Lena	Kolstad Henrik	Partanen Juhani	Van der Beek Allard
Elmes Peter	Koskela Riitta-Sisko	Partinen Markku	Venables Kate
Färkkilä Markus	Kristensen Petter	Pearce Neil	Videman Tapio
Gemne Gösta	Kristensen Tage S	Pershagen Göran	Viikari-Juntura Eira
Goldsmith David	Läubli Thomas	Petsonk Edward	Vingård Eva
Gyntelberg Finn	Laitinen Jaana	Pohjanpelto Pirkko	Vuori Jukka
Hänninen Helena	Langård Sverre	Punnett Laura	Wegman David
Härfast Bengt	Lappalainen Maija	Rafnsson Vilhjalmur	Welinder Hans
Hagberg Mats	Larsson Kjell	Reijula Kari	Wennberg Arne
Hagmar Lars	Leclerc Annette	Reiman Marjut	Westerholm Peter
Hakulinen Timo	Leino-Arjas Päivi	Reunanen Antti	Westlander Gunnela
			Zielhuis Gerhard

## **Scandinavian Journal of Work, Environment & Health**

The **Scandinavian Journal of Work, Environment & Health** is an international scientific periodical which began publication in 1975. The Journal appears 6 times a year, at the end of February, April, June, August, October, and December. In addition 1 to 3 self-financed supplements on specific topics are generally published annually.

The circulation of the Journal is worldwide. By the end of 1998, the total distribution was about 1250 copies to over 50 countries on 5 continents. Most of the subscriptions came from the United States (192), Holland (81), Italy (77), Sweden (68), Norway (67), Canada (57), Great Britain (57), Finland (54), Germany (50), Australia (40), and Japan (36).

The Journal is open to all authors without regard to nationality. In 1998, the number of manuscripts submitted for publication in a regular issue was 212. In volume 24, the first author of the 103 published articles (supplements included) was from Sweden (23), Finland (16), the United Kingdom (9), the United States (8), Denmark (8), France (7), Germany (5), Italy (4), Norway (3), Canada (3), Japan (2), Australia (2), Spain (2), Austria (2), The Netherlands (2) and other countries (6). The acceptance rate of the 212 articles submitted in 1998 was 38% by the end of May 1998; at that time the decision was still pending for 30 of the manuscripts.

In a peer-review process, 1 to 4 referees independently evaluate the scientific quality of the submitted manuscripts. The Journal uses a double-blind peer-review system.

The elapsed time from submission to publication for the articles published in 1998 averaged 11 months. A decision of acceptance of a manuscript was reached in 1 to 3 months (average 7 weeks).

The Journal is indexed or abstracted in Current Contents, the Science Citation Index, Biological Abstracts, Excerpta Medica, CISDOCE HSELINE, TZXLIRE, NIOSHTIC, etc.

For the latest year available, 1997, the impact factor of the Journal was 1.706.

